Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	4154	709/201	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:29
S2	3869	709/218	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:29
S3	3328	709/220	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:29
S4	2180	709/221	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:29
S5	6508	709/223	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:29
S6	6705	709/224	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:29
S7	18342	S1 or S2 or S3 or S4 or S5 or S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:29
S8	3	S7 and (reconfig4 or config4 or upgrad4 or updat4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:31

S9	1	(reconfig4 or config4 or upgrad4 or updat4) with network	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:30
S10	0	S7 and (reconfi$ or config$ or upgrad$ or updat$) with network with parameter4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:31
S11	761	S7 and ((reconfigur$ or configur$ or upgrad$ or updat$) with network with parameter$)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:34
S12	662	S11 and "709"/$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:33
S13	9	S7 and ((reconfigur$ or configur$ or upgrad$ or updat$) with network with parameter$).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:35
S14	72	S7 and ((reconfigur$ or configur$ or upgrad$ or updat$) with network with parameter$).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:35
S15	69	S14 not S13	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/02/12 17:35